

From: Mason, Steve
To: [Broyles, Ragan](#)
Cc: [Ruhl, Christopher](#); [Webster, Susan](#)
Subject: RE: RTK Net
Date: Friday, April 26, 2013 4:25:00 PM

No since they only reported ammonia, which under RMP is a listed toxic substance, they are only required to do the worst case toxic and alternate toxic scenarios... only have to do a flammable scenario if you have a substance that is listed on RMP as a flammable...

From: Broyles, Ragan
Sent: Friday, April 26, 2013 3:41 PM
To: Mason, Steve
Cc: Ruhl, Christopher; Webster, Susan
Subject: RE: RTK Net

Did West Fertilizer fill in Section 4, the flammable worst case scenario?

From: Mason, Steve
Sent: Friday, April 26, 2013 2:10 PM
To: Broyles, Ragan
Subject: RE: RTK Net

Pretty much... remember the facility submits an RMP electronically, using RMP software, so it is in screen format.... Here is what an RMP hard copy form looks like... attached..

From: Broyles, Ragan
Sent: Friday, April 26, 2013 1:24 PM
To: Mason, Steve
Subject: RE: RTK Net

Is it actually in the format of an RMP report? Maybe one sent in at the beginning of the RMP program.

From: Mason, Steve
Sent: Friday, April 26, 2013 1:21 PM
To: Broyles, Ragan; Webster, Susan; Ruhl, Christopher; Petersen, Chris
Subject: RTK Net

Ragan, as you asked, I looked at the RTK net website... and pulled up the RMP for West Fertilizer...

They list just about everything, including lots from the worst and alternate scenarios, but they do not appear to give the actual distance of the release...

I am attaching the file...

Faithfully yours,

*Steve Mason
EPA Region 6 (6SF-PE)*

1445 Ross Avenue, Dallas, TX 75202

214-665-2276

mason.steve@epa.gov

*"Frequently, my thoughts get bored and walk
down to my mouth. Often, this is a bad thing."*